

adpHence Australia


Experts in Commercial & Construction Signage



Maximise your promotional & branding opportunities

1. About Adphence

**PREMIUM COMMERCIAL SIGNAGE, DELIVERED ANYWHERE
IN AUSTRALIA, ANYTIME AT UNBEATABLE PRICES**



Adphence has been leading the way in external branding as the first company in Australia to cater directly to the construction and outdoor signage market. As industry leaders in large format printing it is our directive to continuously improve our products, service and support delivering only the best to our clients.

Large format print delivers economies of scale through volume which allows us to keep our costs low and pass the savings to you. No job is too big and certainly no job too small. Contact us today to increase your exposure and lift your company profile to the next level.

"Dennis Family Homes are continually rolling out new signage and Adphence understand the high standards that we have. On each project their team have been the most efficient in delivering well beyond expectations, and well within any time limitations. I would highly recommend working with them".

Nick Aubrey
Marketing Coordinator
– *Dennis Family Homes*

"Adphence excel in delivering the highest quality outdoor banners and mesh on time, every time. Meriton ensure the highest standards are met on every build and we expect no less when it comes to branding. From service, turn around and standing behind their product we could not be more pleased".

Megan Skippen
Head of Marketing
– *Meriton Group*

Follow us on  www.facebook.com/Adphence

 <https://twitter.com/adphence>

Delivery Guaranteed

DELIVERY AUSTRALIA WIDE IS AVAILABLE TO ALL METRO AND RURAL AREAS



FREE DELIVERY
FOR ORDERS ABOVE \$4000*



50% OFF DELIVERY
COST FOR ORDERS ABOVE \$2000*



24/7 TRACKING
OF GOODS AUSTRALIA WIDE



Contents

1. About AdpHence	Page 1
2. Branded Site Packages	Page 3
3. Printed PVC Banner, Billboards & Hoarding Systems	Page 4
- PVC Banners	Page 4
- PVC Billboard Banner Skins	Page 4
4. Printed Banner Mesh & Shade Cloth	Page 6
- Banner Mesh & Shade Cloth Rolls	Page 6
- Banner Mesh Panels	Page 8
5. Printed Scaffold Mesh & SafePro Mesh	Page 10
- Scaffold Mesh	Page 10
- SafePro Mesh	Page 12
6. Printed Barrier Covers / Bunting & Silt Mesh	Page 14
- Barrier Covers	Page 14
- Bunting & Silt Mesh	Page 15
7. Printed Self Adhesive Vinyl & One-way Vision	Page 16
8. Printed Panels & Boards	Page 18
- Flute Board	Page 18
- Poly Board	Page 18
- Foam Board	Page 18
- Aluminum Composite Panel	Page 18
9. Custom Site Signs & Safety Signs	Page 20
10. Point of Sale	Page 24
11. Site Assessment & Installations	Page 26
12. Installation Consumables	Page 28
13. Supply of Artwork Guide	Page 30

Copyright and Disclaimer

All the content in this document is the copyright of Adphence Australia Pty Limited, except for brands and artwork of Adphence customer which have been used with the expressed permission of their respective owners. Any such brands and artwork remain the sole property of the legal owners. In addition, some brands shown in this document are fictitious and are solely used to demonstrate the application of Adphence printed products. Any similarity of these fictitious brands to any existing brands or companies is not intended and totally coincidental. Adphence takes no liability in the case of any such similarities. While every effort has been made to ensure the specifications, images and descriptions of the products and services in this document where correct at the time of publication, Adphence reserves the right to change or edit this information at its discretion.



adpHence Aust
Experts in Commercial & Construc

2. Branded Site Packages

Branded Site Packages Using Corporate Brand Style Incorporating, safety, direction, services and warning signs

Specifically designed for large sites where the organised flow of traffic and staff is highly important

- ▶ Create a more consistent and integrated signage system using brand fonts and design styles
- ▶ Can be produced using a range of Banner Mesh fabrics or PVC Vinyl


Maximise your promotional & branding opportunities

Talk to one of **Site Management Consultants** about how we can help you develop a site package ideally suited to your requirements which will save you time and installation costs.

SAFETY & WARNING SIGNS



DIRECTION / ENTRY SIGNS



ONSITE SERVICES SIGNS



3. Printed PVC Banner, Billboards & Hoardings

PVC Billboard & Hoarding Banner Skin 510gsm

Finished with Premium Rope Hem, Hem and Eyelet

PVC Banner has a high quality printable surface and is suitable for continuous tone graphics and photos. Ideal for very high print quality and excellent durability.

► Suitable for outdoor use including billboards and building site banners

Finished with Keder Hem

Keder Hem provides a stiff edge with a round core which is designed to run inside Keder Rail Track

► Allows a high quality finish as the banner can be pulled evenly and tightly across the entire surface





m
metricon

**DISPLAY HOME
COMING SOON**
CALL 1300 METRICON

4. Printed Banner Mesh & Shade Cloth Rolls

PRINTED BANNER MESH & SHADE CLOTH ROLLS

Premium Banner Mesh 80% 50m Rolls: 1.6m or 1.8m Height Finished with Hem and Eyelet or Premium Rope Hem

PVC fabric mesh with an overall printable surface of approximately 80%

- ▶ Ideal for building or event site privacy, great print quality with up-to 4 year durability
- ▶ Easy to transport and install, usually provided in 50m rolls of either 1.6 or 1.8m high
- ▶ Keder Hem finishing also available, designed to run inside Keder Rail Track

Air Mesh 65% 50m Rolls: 1.6m or 1.8m Height Finished with Hem and Eyelet or Premium Rope Hem

PVC fabric mesh with an overall printable surface of approximately 65%

- ▶ Ideal for wind exposed locations, good print quality with up-to 2 year durability
- ▶ Easy to transport and install, usually provided in 50m rolls of either 1.6 or 1.8m high

High Wind Mesh 50% 50m Rolls: 1.6m or 1.8m Height Finished with Hem and Eyelet or Premium Rope Hem

PVC fabric mesh with an overall printable surface of approximately 50%

- ▶ Ideal for high-wind exposed locations, medium/good print quality with up-to 2 year durability
- ▶ Easy to transport and install, usually provided in 50m rolls of either 1.6 or 1.8m high

Shade Cloth 50% 50m Rolls: 1.8m Height No finishing, suited to black or flat colour printing

A woven fabric with an overall printable surface of approximately 50%

- ▶ Ideal for budget projects where print quality is less important with up-to 1 year durability
- ▶ Easy to transport and install, usually provided in 50m rolls of 1.8m high



Mesh Types

PREMIUM BANNER MESH

Ideal for Privacy, Print Quality & Durability



AIR MESH

Ideal for Wind Exposure, Good Print Quality




HIGH WIND MESH

Ideal for High Wind Exposure



SHADE CLOTH

Ideal for Budget Projects



See next page for finishing options

Talk to us about your
site requirements for
the best possible advice



4. Printed Banner Mesh Panels

PRINTED BANNER MESH PANELS

Premium Banner Mesh 80% All Custom Sizes Finished with Hem and Eyelet or Premium Rope Hem

PVC fabric mesh with an overall printable surface of approximately 80%

- ▶ Ideal for building or event site privacy, great print quality with up-to 4 year durability
- ▶ Easy to transport and install, usually provided to fit your preferred temporary fence system
- ▶ Keder Hem finishing also available, designed to run inside Keder Rail Track

Air Mesh 65% All Custom Sizes Finished with Hem and Eyelet or Premium Rope Hem

PVC fabric mesh with an overall printable surface of approximately 65%

- ▶ Ideal for wind exposed locations, good print quality with up-to 2 year durability
- ▶ Easy to transport and install, usually provided to fit your preferred temporary fence system

High Wind Mesh 50% All Custom Sizes Finished with Hem and Eyelet or Premium Rope Hem


PVC fabric mesh with an overall printable surface of approximately 50%

- ▶ Ideal for high-wind exposed locations, medium/good print quality with up-to 2 year durability
- ▶ Easy to transport and install, usually provided to fit your preferred temporary fence system

Mesh Types


PREMIUM BANNER MESH

Ideal for Privacy, Print Quality & Durability



AIR MESH

Ideal for Wind Exposure, Good Print Quality



HIGH WIND MESH

Ideal for High Wind Exposure



Standard Sizing Options

STANDARD SINGLE PANEL SIZES	SUITABLE TO FIT	STANDARD MULTI-PANEL SIZES	SUITABLE TO FIT
2.4 X 1.6m	Commercial grade temporary fence panels	5 X 1.6m	2 temporary fence panels
2.4 X 1.8m	Commercial grade temporary fence panels	5 X 1.8m	2 temporary fence panels
3 X 1.6m	Oversized residential temp fence panels	10 X 1.6m	4 temporary fence panels
2.3 X 1.6m	1 temporary fence panel	10 X 1.8m	4 temporary fence panels

NB: Minimum banner size is 3m²



Finishing Options

ROPE, HEM & EYELETED

Use with Premium / Air Mesh



HEMMED & EYELETED

Use with Premium / Air Mesh



ROPE EDGE

Use with Premium / Air Mesh / High Wind



KEDER EDGE

Use with Premium Mesh



5. Printed Scaffold Mesh

Scaff Mesh 50% 50m Rolls: 1.6m or 1.8m Height Finished with Hem and Eyelet or Premium Rope Hem

PVC fabric mesh with an overall printable surface of approximately 65%

- ▶ Ideal for wind exposed locations, good print quality and durability
- ▶ 1.8m height works hop up heights inside scaffold
- ▶ No need to increase wall ties back to building when comparing to shade cloth or rigid chain mesh
- ▶ Artwork can be set up horizontally for installation or vertical for drops
- ▶ Light weigh and easy to handle, transport and install, provided in 50m rolls of 1.6 or 1.8m high

Air Mesh Building Wrap 65% 50m Rolls: 1.6m or 1.8m Height Finished with Hem and Eyelet or Premium Rope Hem

PVC fabric mesh with an overall printable surface of approximately 65%

Provides mass scale images/branding covering an entire elevation or section of scaffold externally

- ▶ Fully customised for your building
- ▶ Printed elevations available
- ▶ High definition printing
- ▶ Light weigh and easy to handle, transport and install

Mesh Type

SCAFF MESH

Ideal for Installation Inside Scaffold



AIR MESH WRAP

Ideal for Building Wraps Outside Scaffold





5. Printed SafePro Mesh

SafePro Mesh 50% 1.8m height available in 10 or 15m rolls
Scaffold safety wire mesh with an outer printable fabric skin

Graphics printed on PVC fabric mesh with an overall printable surface of approximately 50%

- ▶ Ideal for creating a safety curtain across you scaffold while still providing promotional opportunities
- ▶ Suitable for wind exposed locations, good print quality and durability
- ▶ 1.8m height works hop up heights inside scaffold
- ▶ Artwork can be set up horizontally for installation or vertical for drops
- ▶ Easy to handle, transport and install, provided in 10 or 15m lengths of 1.8m high

This site is installed with

NEW PRODUCT

SafePro
 **Mesh**

*The scaffold **safety wire mesh**
with an outer **printable fabric skin***

www.adphence.com.au

SafePro Mesh

Mesh Type

SAFEPRO MESH

Ideal for Wind Exposure, Good Print Quality




When safety is a must SafePro provides you total confidence



SafePro maximises promotional opportunities while minimising risk. Talk to one of our consultants today to evaluate your site for SafePro installation suitability.

SAMPLE PRINT



Layer 1: Printed SafePro Fabric Mesh

Layer 2: SafePro Safety Wire



6. Printed Barrier Covers / Bunting & Silt Mesh

Barrier Covers Standard Size: 0.9 x 1.5m or Custom Size Double-sided printed pocket, finished with seams

Using either Air Mesh (recommended) or Premium Mesh PVC fabric

- ▶ Ideal for temporary site branding and events, excellent print quality and durability
- ▶ Easy to transport, install and store for future use
- ▶ Can be custom sized to your barrier of choice

Mesh Types


AIR MESH (recommended)

Ideal for Wind Exposure, Good Print Quality



PREMIUM BANNER MESH

Ideal for Privacy, Print Quality & Durability



Bunting & Silt Mesh

Adphence also provides high quality Bunting and Site Mesh which can be use independently or in conjunction with Barriers or Temporary Fencing.

If you need help assessing your site requirements and to be sure you are meeting your OHS requirements please see section 10, Site Assessment & Installation. If you need tools to help you with your own installation then go to Site Consumables, section 11.



7. Printed Self Adhesive Vinyl & One-way Vision

Monomeric Self Adhesive Vinyl

3yr Permanent Grey Adhesive with Double PE liner

Printed on white monomeric PVC vinyl with a permanent grey blockout adhesive

- ▶ Available printed on 1370mm or 1524mm width rolls, maximum roll length 50m
- ▶ Available in Gloss or Matt, can also be laminated on request
- ▶ 100micron PVC facefilm with excellent print finish

GREAT FOR

- ▶ Wall & display graphics
- ▶ Office branding
- ▶ Temporary signage

Polymeric Self Adhesive Vinyl

5yr Permanent Grey Adhesive with Double PE liner

Printed on a premium white polymeric PVC vinyl with a permanent grey blockout adhesive

- ▶ Available printed on 1370mm or 1524mm width rolls, maximum roll length 50m
- ▶ Available in Gloss or Matt, can also be laminated on request
- ▶ 100micron PVC facefilm with excellent print finish
- ▶ 120gsm double PE release liner keeps the vinyl flat during and after printing

One-way Vision Film

Premium 200micron Polymeric Film with Removable Self Adhesive

For window advertisements and branding in offices, cafes, restaurants and on vehicle windscreens


- ▶ Available printed on 1370mm width rolls, maximum roll length 50m
- ▶ Optical clear cast or polymeric version
- ▶ Passes the VicRoads standard for vehicle windows
- ▶ 200micron film with a 1.6mm hole and excellent printability

GREAT FOR

- ▶ Window advertising
- ▶ Vehicle windscreens
- ▶ Office window branding

MATERIAL OPTIONS	USE	ROLL	DURABILITY	PRINT QUALITY
	RECOMMEND FOR	MAX SIZE	INDOOR / OUTDOOR	LEVEL
MONOMERIC	Indoor/Outdoor	1524 x 50mm	5yrs / 3yrs	Very High
POLYMERIC	Indoor/Outdoor	1524 x 50mm	7yrs / 5yrs	Very High
ONE-WAY VISION	Indoor/Outdoor	1370 x 50mm	5yrs / 3yrs	High

CAUSTOM FINISHING	CUSTOM SIZING	LAMINATING	GRAFFITI LAMINATING	MOUNTING
MONOMERIC	•	•	•	•
POLYMERIC	•	•	•	•
ONE-WAY VISION	•			



8. Printed Panels & Boards

Flute Board 5mm, Max Size: 2400 x 1200mm

Trimmed to size and can be finished with eyelets

Flute board is a light, strong and durable Corona treated twin wall polypropylene sheeting

- ▶ Ideal for budget signage, point of sale and indoor or outdoor display
- ▶ Easy to transport and install, can also be finished with eyelets
- ▶ Lamination is recommended for outdoor use

Poly Board 1.4mm, Max Size: 2400 x 1200mm

Trimmed to size, can be finished with rounded corners, slots or drilled

Poly board is a sturdy all weather PVC board with good printability, ideal for signage

- ▶ A cost effective signage solution where material durability is also important
- ▶ Easy to transport and install, suitable for both indoor and outdoor use
- ▶ Lamination is recommended for outdoor use

Foam Board 3mm, Max Size: 3000 x 1500mm

Trimmed to required size

Foam board is an expanded polystyrene sheet laminated with acid free white paper on 2 sides

- ▶ Ideal for point of sale and internal retail signs, very high print quality
- ▶ Light and easy to transport and install, easily cut with a knife
- ▶ Can be laminated to protect surface and increase durability

Aluminum Composite Panel 3mm, Max Size: 2400 x 1200mm

Trimmed to size, can be finished with rounded corners, slots or drilled

Composite panel has corrosion resistant 0.21 aluminum skins, permanently bonded to a polyethylene core creating a rigid and light weight with a premium finish


- ▶ Ideal for both internal and external use, good print quality and excellent durability
- ▶ Panels are foldable and suitable for CNC milling to custom shapes
- ▶ Can be applied with either standard or graffiti resistant laminate

MATERIAL GUIDE	USE	PANEL/BOARD	DURABILITY	PRINT QUALITY
	SUITABLE FOR	MAX SIZE	INDOOR / OUTDOOR	LEVEL
COREFLUTE	Indoor/Outdoor	2400 x 1200mm	5yrs / 1yrs	Medium
POLY	Indoor/Outdoor	2400 x 1200mm	7yrs / 3yrs	Medium
FOAM BOARD	Indoor	3000 x 1500mm	NA / 3yrs	Very High
ALUMINUM COMPOSITE	Indoor/Outdoor	2400 x 1200mm	7yrs / 7yrs	High



FLUTE BOARD

Ideal for Low Cost, Outdoor Use



POLY BOARD

Ideal for Medium/Low Cost, Outdoor Use




FOAM BOARD

Ideal for Good Print Quality, Indoor Use



ALUMINUM COMPOSITE

Ideal for High Print Quality, Outdoor Use



STANDARD SIZES	CUSTOM FINISHING
450 X 600mm	Custom Sizing
600 X 600mm	Laminating
600 X 900mm	Graffiti Laminating
900 X 1200mm	CNC Routing
1200 x 2400mm	-

9. Custom Site Signs & Safety Signs

Custom Site Boards

Printed with the addition of your preferred information

Customised site boards can be produced on Poly or Aluminium Composite Panel

- ▶ Suitable for outdoor use on building sites and surrounds
- ▶ Lamination is recommended for long-term installation

Standard Multi Sign Size: 900 x 600mm, Metal / Poly

'Protective Equipment Must Be Worn' Message and supporting graphics

- ▶ Captions options: ON THIS SITE / IN THIS AREA / IN THIS FACILITY

Branded Multi Board Size: 900 x 600mm, Metal / Poly

Multiple safety messages with supporting graphics

- ▶ Add your Logo or Project Name, Site Contact and Phone Number

Mega Multi Board Size: 900 x 1200mm, Metal / Poly

Multiple safety equipment messages & site directives with supporting graphics

- ▶ Add your Logo or Project Name

Branded Custom Board Size: 1800 x 1200mm, Metal / Poly

Five safety signs of your choice incorporate into a single large site board

- ▶ Add your Logo or Project Name, Site Contact and Phone Number

Standard Multi Sign



Mega Multi Board



Branded Multi Board



Your Logo or Project Name Goes Here



IN CASE OF AN EMERGENCY DIAL 000



ALL PERSONS MUST REPORT TO SITE OFFICE



AUTHORISED PERSONNEL ONLY



NO SMOKING ON SITE



SAFETY HELMETS MUST BE WORN



SAFETY FOOTWEAR MUST BE WORN

24hr Site Contact:

Phone No:

Branded Custom Board



Standard Safety Signs

Danger Signs



► **Danger** Keep Out.
Sizes: A / C



► **Danger** No Entry Authorised Personnel Only. Sizes: A / C / D



► **Danger** Workers Overhead.
Size: A



► **Danger** Construction Site Unauthorised Persons... Size: A



► **Danger** Demolition In Progress Keep Out. Size: A



► **Danger** Excavation In Progress. Size: A



► **Danger** Scaffold Incomplete Do Not Use. Size: A



► **Danger** Overhead Powerlines. Size: A



► **Danger** High Voltage Overhead. Size: A



► **Danger** Electrical Equipment... Size: A



► **Danger** Confined Space Entry By Permit Only. Size: A / C / D



► **Danger** Look Out For Trucks. Size: A



► **Danger** Crane Working Overhead. Size: A



► **Danger** Asbestos. Size: A / D



► **Danger** Contains Asbestos Fibres... Size: A / D



► **Danger** No Smoking. Size: A / C / D

Custom Danger Signs



► **Danger** Blank.
Add you own custom message
Size: A / D

STANDARD SIZE	MATERIALS
A: 600 X 450mm	Metal / Poly Board
SPECIAL SIZES	MATERIALS
C: 450 X 300mm	Metal / Poly Board
D: 300 X 225mm	Metal / Poly Board

9. Custom Site Signs & Safety Signs

Security Signs



► This Site Is Under 24 Hour... Size: B / E



► Camera In Use 24 Hours. Size: B / E



► Electronic Surveillance Protects This Property. Size: A / D



► All Visitors Must Report To Reception. Size: A / D



► Restricted Area Keep Out. Size: A / D

Mandatory Signs



► This Is A Hard Hat Area... Size: B



► Safety Footwear Must Be... Size: B



► Eye Protection Must Be Worn... Size: B



► Hearing Protection Must Be... Size: B



► Hand Protection Must Be... Size: B



► Hi-Visibility Safety Vest Must... Size: B



► Foot Wash Must Be Used... Size: B



► Safety Harness Must Be... Size: B



► Face Protection Must Be Worn... Size: B



► Hearing & Eye Protection... Size: B



► Respirator Must Be Worn... Size: B



► Protective Clothing Must Be... Size: B

Warning Signs



► Pedestrian Access. Size: A



► Pedestrians Use Other Footpath. Size: A



► Footpath Closed. Size: A



► Construction Zone. Size: A



► Trucks Crossing. Size: B



► Beware Of Pedestrians. Size: B



► Beware Of Vehicles. Size: B



► Scaffold Incomplete. Size: B



► Keep Clear. Size: B



► Beware Blank / add message Size: B

STANDARD SIZES	MATERIALS
A: 600 X 450mm	Metal / Poly Board
B: 450 X 600mm	Metal / Poly Board
SPECIAL SIZES	MATERIALS
D: 300 X 225mm	Metal / Poly Board
E: 225 X 400mm	Metal / Poly Board

Prohibition Signs



► No Smoking.
Size: B / E



► No Entry - Authorised
Persons... Size: B / E



► Alcohol Not Permitted...
Size: B / E



► Fire Naked Flame
& Smoking... Size: B



► Do Not Use Mobile
Phones. Size: B



► No Food Or Drink In
This Area. Size: B / E

Notice Signs



► Notice All Visitors
Must Report To
Site Office.
Size: B



► Notice All Visitors
& Workers Must Sign
In & Out On Register.
Size: B



► Notice Parking
On Site Is At Your
Own Risk.
Size: B



► Notice Drug &
Alcohol Testing
Done On This Site
Size: B



► Notice All Personnel
Must Be Site Inducted
Before Starting Work...
Size: B



► Notice All Electric
Leads & Power Tools
Must Be Tagged...
Size: B



► No Parking.
Size: A



► No Entry.
Size: A



► No Exit.
Size: A



► Gate No (add number).
Size: A



► Entry.
Size: A



► Exit.
Size: A



► Car Park
Size: A




► Site Access.
Size: A



► Toilets (female symbol).
Size: A / D



► Toilets (male symbol).
Size: A / D



► Site Office
Size: A / D



► Lunch Room.
Size: A / D

STANDARD SIZES	MATERIALS
A: 600 X 450mm	Metal / Poly Board
B: 450 X 600mm	Metal / Poly Board
SPECIAL SIZES	MATERIALS
D: 300 X 225mm	Metal / Poly Board
E: 225 X 300mm	Metal / Poly Board

10. Point of Sale



Premium Banner Stand

Point of Sale

Printed from you supplied design

High quality retractable banner stands and sturdy A-boards

- ▶ Printed with high resolution full colour images, logo and graphics

Standard Retractable Banner Stand Size: 850 x 2000mm

Cost effective unit for a single-sided graphic finished in Anodised Aluminium

- ▶ With a sturdy base this light unit is easy to assemble and pack

Premium Retractable Banner Stand Size: 850 x 2000mm

Single-sided graphic finished in Anodised Aluminium or Black Powdercoated

- ▶ With a unique tear drop base, this attractive unit is easy to assemble and pack

Premium A-Boards Size: 900 x 1200mm

Premium double-hinged board with a strong durable metal frame

- ▶ Black or white powdercoated frame with end frame plugs
- ▶ Supplied with 2 panels of signwhite colorbond



Premium A-Board

11. Site Assessment & Installations

PLAN / Provide your site plans



ASSESS / Site measure up



PRINT / We proof & print your artwork



Site Assessment

Planning ahead is the key to a successful roll out of site signage, that's why we offer a range of services to assist with the planning and installation process. Adphence are the industry experts in signage with the necessary experience in OHS to give you the confidence you need. You can be sure when you deal with us you can get the job done, on time and on budget.

- Get a free no obligation 'site assessment' based on your supplied site plans and/or elevations. We provide recommendations and an estimate of costs and time-line for production and installation.
- For commercial customers a free 'measure-up site assessment' is offered in the greater Melbourne and Sydney areas. We provide recommendations and an estimate of costs and time-line for production and installation.

Adphence Installation Service

Adphence Australia offers a comprehensive installation service within a 40km radius of all major metropolitan areas across Australia. Please contact us for a no obligation quote.



If you plan to install your own signage please make sure you read and follow the installation recommendations and instructions carefully.

Installation Recommendations

Please read the following installation recommendations carefully

To ensure your signage is covered by warranty, installation should ensure that:

- ▶ Fixings are at approx 500mm centres on all four sides of signage.
- ▶ Banner mesh and shade cloth should be pulled taut during installation so it sits flat on substrate.
- ▶ When your signage comes with eyelets every eyelet needs to be used.
- ▶ When your signage comes with roped core hemming, fixing should be placed at approx 500mm centres. There is no need to cut the material. Simply insert your cable tie or tie wire as close as possible to the rope hem and ensure the tie passes around the rope to connection point (the rope is what gives this mesh strength).
- ▶ When installing sail track fixings should be spaced at approx 600mm centres.
- ▶ When installing building wrap or scaff mesh to a scaffold it is advised to use a minimum 1.57mm gauge tie wire in lieu of a cable tie for maximum strength.
- ▶ For general aesthetic in most cases the most effective way to install mesh is to commence at the top working to a straight line, (hording or top of fence). Once the top is secured at approx 500mm centres the installer should commence fixing the bottom edge of signage working from the centre out. When both the top and bottom are secure please install your connections on both sides.
- ▶ If you are unsure about any aspects of your installation please contact adpHence on 1300 765 767 for immediate advice.

DELIVER / Australia wide delivery



INSTALLATION / Ask for a quote



Installation Guideline's for Self-Install

Shade cloth and banner mesh materials should be installed flat and tort on fences and substrates to limit wind loading. An incorrectly installed material could void your warranty so careful consideration should be given at time of installation.

When your signage is requested with eyelets all eyelets must be secured to the fence or substrate. Only utilising a few of the available eyelets will result on increased load to those is use. The material should be flat against the fence and tort.

When your signage is requested with roped hemming appropriate UV resistant ties should be installed at approx. 500mm spacings, top, bottom and at all finished ends. There is not need to cut the material when installing with roped hemming. Simply feed your tie through the weave as hard up to the rope core as possible. It is the rope that gives this hemming its ultra strong connection to the fence.

Installation Guideline's for Sail Track

The key to installing with sail track is giving thought to location set out prior to commencing. The top section of sail track should be installed first working to a string line or chalked line. Once the top track is installed your signage simply slips into position.

Once the signage is in position the bottom track and side tracks can be fit to the signage.

Ensure the signage is flat and crease free prior to fixing off remaining sail track. Some signage stretch can be achieved to take out any stubborn wrinkles prior to fixing off sail track.



12. Installation Consumables



C Clip Pliers



Aviation Snips



Side Cutters



C Clips



Tie Wires



Safety Glasses



Cable Ties 100/Pk



Autolock Snap Off Knife



Self Retracting Safety Knife



Fastener Tool



10mtr Tape Measure



Open Reel Tape Measures



Sail Track




Safety Gloves



Post Driver



Duct Tape



Y-Picket Caps



Caution/Safety Tape



Shade Cloth



Y-Pickets



Anti Graffiti Coating

13. Supply of Artwork Guide

Creating accurate artwork suitable for reproduction on your preferred material is the key to producing perfect print results. Check the specification of the material you plan to print on before completing your design and take into surface and indicated print quality level. If you need assistance or would like to discuss how to setup your artwork to optimise results, please call our artwork department on 1300 765 767

If you're sending us print ready artwork

1. Create your artwork in Adobe Illustrator or CorelDraw.
Set the file size to 1/10 scale (1m = 10cm).
Note: Keder hem should not be included as part of the artwork as it falls outside the printed area.
2. All colours to be set to cmyk (rgb or spot colours are not accepted, you must match your desired colours to the closest cmyk mix).
3. Ensure all important graphics, logos and text are keep clear from the area where eyelets and hemming occurs and well inside the trim edge.
4. All logos should be placed into the artwork as vector artwork. Avoid image based logo files where ever possible.
5. Ensure all images to be embedded into artwork as cmyk tif files at a minimum of 300dpi and a maximum of 600dpi.
Where possible, crop the images to the desired size and avoid scaling them within the artwork program.
6. Any slots, holes or special cut marks should be included as a separate layer in your artwork file.
7. Avoid using complex or multiple 'effects' on text or graphics. If effects are used, 'flatten layers' before saving your file as a print ready pdf.
8. All artwork should be saved and supplied as an editable pdf at a minimum of 300dpi and maximum of 600dpi. Ensure all text is converted to outline, all colours in your file are cmyk, then save your file as a print ready pdf without bleed or crop marks.

If you require us to create your artwork

1. Supply all your logos as vector files in pdf or .eps formats. Avoid image based logo files where ever possible.
2. Supply all images at 300dpi-600dpi at the largest file size you have available, but no smaller than 10% of desired print size at 300dpi.
3. If you require us to source images for you, please provide a description of the subject and style of image you require. Where possible supply a image reference to provide an indication of the sort of image you would like.
4. Provide all text via email or in a Word doc file to be included in the design. Highlight any wording and contact details you would like to be most prominent. Please check your spelling and use of capitals prior to sending.
5. Supply a copy of any corporate fonts required in your design.
6. Supply a list of any corporate colours or colour-ways you'd like to be included in your design

Sample artwork proof



Scaled View



Zoom View

Step-by-Step design/artwork proofing process guide

You can be confident that all production processes will run smoothly with adphence

Below is an outline of what to expect when you ask us to produce a design and artwork for your project.

- ▶ Once a quotation is accepted we commence work on your creative proof and artwork.
- ▶ To create your proof and artwork we require your logos, images/photos as outlined and to the specifications in our artwork guide (see left page) under the heading, 'If you require us to create your artwork'.
- ▶ We combine your files, based on your brief, to create a to scale creative proof, an example of which can be seen below.
- ▶ The proof is sent to you for comment and approval, any adjustments you request will be made to your artwork prior to going to print.
- ▶ If major changes are requested due to a change in your brief, a new proof will be provided for you to approve. In this instance additional changes may be applicable.
- ▶ We ask you to consider the creative proof we supply you carefully, paying close attention to detail, in particular check: spelling, the use of colours, logos all graphics.
- ▶ Be aware that your approval of the supplied creative proof forms part of our supply agreement with you. By signing the proof or approving it via email or text message you are agreeing to the supply of products as specified in the corresponding quotation within Adphence's Terms and Conditions of sale and supply.
- ▶ If you have any questions regarding the design/artwork process or need to discuss a brief, please contact us on 1300 765 767.



TE SAFETY
STRUCTION SITE

WEATHER PROTECTIVE EQUIPMENT
MUST BE WORN
ON THIS SITE

GATE 3
Staff Access Only

PERSONNEL MUST
BE SITE INDUCTED
BEFORE STARTING
WORK ON THIS SITE

CLIENT: Adphence Australia

JOB TITLE: Adphence Building Site Banner Mesh 50 x 1.6m - Ref: 12345

PREPARED FOR: Daniel Wheeler - 23/04/2016 - Proof 1

TURNAROUND: ☒ Standard (8 w/days) ☐ Express (5 w/days) ☐ Ultra Express (3 w/days)

APPROVED BY: Daniel Wheeler

Signature: _____

Date: ____/____/2016

I approve this artwork as 'true and correct' in all detail for printing. I have read and accept Adphence's Terms and Conditions.

adphence Australia
Experts in Commercial & Construction Signage

Terms and Conditions

- While every attempt is made to produce your artwork to match the required colours and images as supplied, there may be some variations depending on the material you choose to print on and the scale to which you print.
- As we use a CMYK printing process, matching PMS colours precisely is not possible. However, a print sample of specific corporate colours can be created on request to approve prior to final printing at an additional cost.
- The sharpness of images is reliant on the quality of the images you supply. We take no responsibility for the quality of reproduction when images are not supplied to our required specifications.
- Delivery turnaround times are activated on receiving 'Your Approval' to print the final artwork and provision of a Sales Order.
- Any time taken to make changes or adjustments after 'Your Approval' or required to ensure that supplied artwork is 'Print Ready', will reset the turnaround time. Artwork changes may incur additional charges.

Adphence Australia Limited
Phones: **1300 765 767**
sales@adphence.com.au
www.adphence.com.au

We're proud to work with...



We'd love to add you to our list...

So give us a call or drop us a line for a no obligation chat about how adphence can really help you **maximise your promotional and branding opportunities** and *make your budget go further!*

Copyright and Disclaimer

All the content in this document is the copyright of Adphence Australia Pty Limited except for the brands, designs and artwork of Adphence customers represented in the samples used with the expressed permission of those customers. These customers remain the sole owners of their brands, designs and artwork. In addition, some brands shown in this document are fictitious and are solely used to demonstrate the application of Adphence printed products. Any similarity of these fictitious brands to any existing brands or companies is not intended and totally coincidental and Adphence takes no liability in the case of any such similarities. While every effort has been made to ensure the specifications, images and descriptions of the products and services in this document were correct at the time of publication, Adphence reserves the right to change or edit this information at its discretion.





1300 765 767
www.adphence.com.au
sales@adphence.com.au

adphence Australia
Experts in Commercial & Construction Signage